

From: "Coffey, Scott" <CoffeySE@cdmsmith.com>
To: "Zhen, Davis" <Zhen.Davis@epa.gov>
"Sheldrake, Sean" <sheldrake.sean@epa.gov>
CC: younghs@cdmsmith.com
Date: 2/20/2018 4:49:58 PM
Subject: Follow-up to Pre-RD Group meeting today
Attachments: [Bathymetric FSP conditional approval and HASP conditions_2-16-18.docx](#)

Hi Davis.

I'm back from my previously scheduled meeting at Ecology and got a debrief from Howard on the Bathy comment response meeting.

Howard will be sending you an updated Bathymetry comment response table very soon.

I understand the comments that were non-responsive (RED) were cleared up during the call, leaving only those remaining conditional comments (Yellow) that are pending the additional documents they indicated they would provide, most importantly – the Task Specific Health and Safety Plan to be submitted 1 week prior to mobilization.

So I understand the next steps are:

1. Pre-RD Group will finalize their Bathy FSP
2. EPA will perform a final focused review of the updates they indicated they would include and if they are good, EPA will approve the document with a Conditional Approval listing the bulleted statements provided last Friday and again in this email. This is pending your review and edits (if any) of the conditions.

In terms of dispute level items: The Conditional Approval is something that they may dispute, since I don't think they are aware/ or expecting this type of approval.

Scott

Scott Coffey, L.Hg.
Hydrogeologist

CDM Smith | consulting engineering construction operations
14432 SE Eastgate Way, Suite 100 | Bellevue, WA 98007
phone: (425) 519-8320 | mobile (206) 503-1512
email: coffeyse@cdmsmith.com | www.cdmsmith.com